


RACK CABINET DATA SHEET



Part No	Description	Quantity in one Cabinet
1	Front Door – Glass in Metal Frame	1
2	Side Panels	2
3	Rear Door – Solid Metal	1
4	Top Cover – (4 unit Fan slot cable Managements)	1
5	Main Frame Chassis for W:800mm – Front and Rear	2
6	Side Carrier bars - Omega	6
7	19" Rack Mounting Angel	4
8	Bottom Cover (with cable management)	1
9	Castor Set	4
10	Earthling Connection Cable	1
11	Levelling Feet (Standard) / (Castor Set is Optional)	4
12	Anti-Trim Block	2
13	Fixing Angle	4

Product Code	NET42U8080-ABC	Racksis Network Series Standing Type Rack cabinet, 800X800X1995mm			
Protecting Class	IP 20	Application	Indoor, Standing Type	Static Loading Cap. (Kg)	800


RACK CABINET DATA SHEET

Part No	DESCRIPTION	Qty	Unit	Material	Finishing	Remarks
1	Front Door – Glass in Metal Frame	1	Pc	1mm Cold Pickled Rolling Steel	Powder Coating RAL 9005	Standard door. 4mm tempered glass, equipped with Spagnolette key lock mechanism, spring hinge, available to change opening direction
2	Side Panels	2	Pcs	1mm Cold Pickled Rolling Steel	Powder Coating RAL 9005	Equipped with Plastic Hinge and “O” type lock mechanism
3	Rear Cover – Solid Metal	1	Pc	1mm Cold Pickled Rolling Steel	Powder Coating RAL 9005	Standard Rear Cover
4	Top Cover 800X800mm - 4 Fans Unit	1	Pcs	1mm Cold Pickled Rolling Steel	Powder Coating RAL 9005	There are 4 pcs fan slots, 2 pcs brushed cable entry and one knocked out blanking plate
5	Main Frame for W:800mm – Front and Rear	2	Pcs	1,5mm Cold Pickled Rolling Steel	Powder Coating RAL 9005	Welded frame body at front and rear chassis
6	Side Carrier bars - Omega	6	Pcs	1,5mm Cold Pickled Rolling Steel	Galvanized	CKD, bearing 19” Rack mounting angels, adjustable distance to fix
7	19” Rack Mounting Angel	4	Pcs	1,5mm Cold Pickled Rolling Steel	Galvanized	Marked “U” size. It is adjustable from front to rear
8	Bottom Cover for 800X1000mm cabinet (with cable management)	1	Pcs	1mm Cold Pickled Rolling Steel	Powder Coating RAL 9005	There are 2 pcs brushed type cable entry and sliding cover slot.
9	Castor Set	4	Pcs	Assembled on 2mm Galvanized Steel		It is accessory. 2 of them with stopper.
10	Grounding Cable	1	Pc	2,5mm Isolated Copper Cable	--	Grounding Cable
11	Levelling Feet	4	Pcs	M12X70mm for Network series	Galvanized Steel& Plastic	The standard item of cabinet
12	Anti-Trim Block	2	Pcs	3 mm Cold Pickled Rolling Steel	Powder Coating RAL 9005	It is optionally offered as an accessory.
13	Fixing Angle	4	Pcs	1,5 mm Pickled Metal Sheet	Powder Coating RAL 9005	Fixing bars of front and rear chassis


**** Each cabinet has grounding connection between the front door and body of cabinet. The cabinet must be grounded according to valid electrical standard.**

The Front & Rear Doors are able to customize by using variation of doors.

ALL PRODUCTS ARE MADE IN TURKEY




RACK CABINET DATA SHEET




The Available Size of Network Series Standing Type Rack Cabinet, W:800*D:800mm

NETWORK SERIES RACK CABINETS W:800*D:800MM							
	W1	W2	D1	D2	H1	H2	H3
16U	800	750	800	720	830	780	780
20U	800	750	800	720	1010	960	960
26U	800	750	800	720	1279	1229	1229
32U	800	750	800	720	1549	1499	1499
36U	800	750	800	720	1724	1674	1674
42U	800	750	800	720	1990	1940	1940
45U	800	750	800	720	2123,5	2073,5	2073,5
47U	800	750	800	720	2220	2170	2170




Alternative Door Options for Racksis Network Cabinets




*1-Tempered Glass Door
In Metal Frame*




*Rear Cover equipped
with Keylock and hinges*



2- Perforated Metal door



*3 Double Perforated
Metal door*



5 Solid Metal Door



*6 Solid Metal Double
Door*